



STEERKRAFT



COOLANTS



LUKOIL COOLANT PLUS	
LUKOIL COOLANT SOT	4
LUKOIL COOLANT SF	
LUKOIL COOLANT PERFECT READY	
LUKOIL COOLANT 5123	5

YOU NEED A COOLANT, WE HAVE THE PERFECT PRODUCT.

LUKOIL COOLANT PLUS

Prod. No.: 578107

APPROVALS/SPECIFICATIONS

- **Blue-green antifreeze concentrate based on ethylene glycol.**
- LUKOIL COOLANT PLUS should be diluted 1:1 by volume with distilled water to ensure maximum corrosion protection and a low temperature performance down to -40°C. If diluted 1:2 by volume with distilled water the freezing point is -20°C.
- Mixing with other coolants is not recommended, as LUKOIL COOLANT PLUS can only offer its special application advantages when used alone in the system.
- For ultimate performance do not mix LUKOIL COOLANT PLUS with other coolants.

2G; AFNOR NFR 15-601; Alfa Romeo (1976-2005); ATLAS; Bentley (1980-2005); AS 2108-2004; ASTM D 3306/D 4985; Audi TL 774-C; BMW-Group* LC-87 (GS 94000, N 600 69.0); BS 6580: 2010; China GB 29743-2013; CUNA NS 956-16; DEUTZ DQC CA-14; Deutz-Fahr (<03/2017); Eicher Engines (TMTL Part No. 93183798); Fendt; Ferrari (1979-2005); Fiat (1982-2005); Ford (< 1997); Huerli-mann (<03/2017); Jaguar (1986-1999); JIS K 2234:2206; Jenbacher TA 1000-0201; Lada; Lamborghini-Tractors (<03/2017); Lancia (1976-2005); Liebherr Minimum LH-00-COL3A; Lotus (1980-1999); MAN 324 NF; MAN Diesel & Turbo Liste 3.3.7; MB-Approval* 325.0; Mercedes-Benz Cars 326.0; Mercedes-Benz Truck & Bus 326.0; Mini BMW LC-87; Mitsubishi Carisma (1996-2004); Mitsubishi Colt (2004-2007); Morgan; MTU MTL 5048; MWM 0199-99-2091-9 DE; ONORM V 5123; Opel GM B 040 0240; Porsche (<1995); Rolls-Royce BMW LC-87; Saab 6901 599; SAE J1034; Same (<03/2017); SANS 1251:2005; Seat TL 774-C; SETRA 325.0; Skoda TL 774-C; Smart 325.0; Tesla (>2013); Toyota (>2015); Volvo Trucks (<2005); VW-Group* TL 774-C

*BMW-Group: Mini, Motorbike, Rolls-Royce

*MB-Group: EvoBus, SETRA, Smart

*VW-Group: Audi, Bentley, Lamborghini, Porsche, Seat, Skoda

LUKOIL COOLANT SOT

Prod. No.: 578120

APPROVALS/SPECIFICATIONS

- **Pink, ethylene glycol based coolant concentrate.**
- LUKOIL COOLANT SOT can be mixed with water in any ratio. In principle, coolants should not be used undiluted. A 1:1 mixture with water provides protection against freezing to -40°C and 1:2 to -20°C.
- Mixing with other coolants is not recommended, as LUKOIL COOLANT SOT can only offer its special application advantages when used alone in the system.
- For ultimate performance do not mix LUKOIL COOLANT SOT with other coolants.

AS 2108-2004; ASTM D 3306/D 4985; BS 6580; China GB 29743-2013; Cummins CES 14603; CUNA NS 956-16; Deutz DQC CC-14; Deutz-Fahr (>04/2017); Ducati; Irizar (>2016); JIS K 2234:2006; Liebherr Minimum LH-01-COL3A; MAN 324 Typ SI-OAT; MB-Approval* 325.5, 325.6, 326.6; MTU MTL 5048; ONORM V5123; Porsche (>2010); SAE J1034; SANS 1251:2005; VW-Group* TL 774-G

*MB-Group: SETRA, Smart

*VW-Group: Audi, Bentley, Lamborghini, Porsche, Seat, Skoda

COOLANTS

LUKOIL COOLANT SF

Prod. No.: 578116

APPROVALS/SPECIFICATIONS

- **Pink, ethylene glycol based coolant concentrate.**
- LUKOIL COOLANT SF can be mixed with water in any ratio. In principle, coolants should not be used undiluted. A 1:1 mixture with water provides protection against freezing to -40°C and 1:2 to -20°C.
- Mixing with other coolants is not recommended, as LUKOIL COOLANT SF can only offer its special application advantages when used alone in the system.
- For ultimate performance do not mix LUKOIL COOLANT SF with other coolants.

AFNOR 15-601; **Alfa Romeo** (>2006); **Aprilia**; **AS** 2108-2004; **ASTM D 3306/ D 4985/ D 6210/ D 7583**; **BS** 6580:2010; **China** GB 29743-2013; **Chrysler** (>2011); **Citroen** (>1993); **CUNA** NC 956-16; **Dacia** (>2005); **Daewoo**; **Daihatsu** (>1979); **DAF** MAT 74002; **Deutz** DQC CB-14; **Ferrari** (>2005); **Fiat** (>2005); **Ford** (>1998); **Fuso**; **Gilera**; **GMC**; **Harley-Davidson**; **Hitachi**; **Honda** (>1983); **Honda** Motorbike; **Hyundai** (>1982); **IVECO** (>2014); **Jaguar** (>1999); **Kawasaki**; **KIA** (>1991); **KTM**; **JIS K 2234:2006**; **Kymco**; **Lancia** (>2005); **Land Rover** (>1998); **Lexus** (>1994); **Lotus** (>2000); **MAN** 324 Typ SNF; **MB** 325.3, 326.3; **Mini Cooper** (2007-2011); **Mitsubishi** (>1982); **MTU** MTL 5048; **Nissan** >1982; **ONORM** V5123; **Peugeot** >1993; **Peugeot** Motorbike; **Piaggio**; **Porsche** (1996-2010); **Renault** >1995; **Renault Truck**; **Rover** >1982; **SAE** J1034; **SANS** 1251:2005; **Scania** TI 02-98 0813 T/B/M; **Subaru** (>1977); **Suzuki** (>1981); **Suzuki** Motorbike; **SYM**; **TGB**; **Toyota** (>1978); **Triumph**; **VOLVO Construction**; **VOLVO Trucks** (>2006); **VW-Group*** TL 774-D, TL 774-F; **Yamaha**

*VW-Group: Audi, Bentley, Lamborghini, Porsche, Seat, Skoda

LUKOIL COOLANT PERFECT READY

Prod. No.: 578030

APPROVALS/SPECIFICATIONS

- **Green-blue antifreeze based on ethylene glycol mixed with water (ready to use mixture of LUKOIL COOLANT PLUS with water)**
- LUKOIL COOLANT PERFECT READY is ready to use and mixed 1 : 1 with water for a maximum corrosion protection and a low temperature performance down to -40°C.
- For ultimate performance do not mix LUKOIL COOLANT PERFECT READY with other coolants.

2G; **AFNOR** NFR 15-601; **Alfa Romeo** (1976-2005); **ATLAS**; **Bentley** (1980-2005); **AS** 2108-2004; **ASTM D 3306/D 4985**; **Audi** TL 774-C; **BMW-Group*** LC-87 (GS 94000, N 600 69.0); **BS** 6580: 2010; **China** GB 29743-2013; **CUNA** NS 956-16; **DEUTZ** DQC CA-14; **Deutz-Fahr** (<03/2017); **Eicher Engines** (TMTL Part No. 93183798); **Fendt**; **Ferrari** (1979-2005); **Fiat** (1982-2005); **Ford** (< 1997); **Huertlmann** (<03/2017); **Jaguar** (1986-1999); **JIS K 2234:2206**; **Jenbacher** TA 1000-0201; **Lada**; **Lamborghini-Tractors** (<03/2017); **Lancia** (1976-2005); **Liebherr** Minimum LH-00-COL3A; **Lotus** (1980-1999); **MAN** 324 NF; **MAN Diesel & Turbo** Liste 3.3.7; **MB-Approval*** 325.0; **Mercedes-Benz Cars** 326.0; **Mercedes-Benz Truck & Bus** 326.0; **Mini** BMW LC-87; **Mitsubishi Carisma** (1996-2004); **Mitsubishi Colt** (2004-2007); **Morgan**; **MTU** MTL 5048; **MWM** 0199-99-2091-9 DE; **ONORM** V 5123; **Opel** GM B 040 0240; **Porsche** (<1995); **Rolls-Royce** BMW LC-87; **Saab** 6901 599; **SAE** J1034; **Same** (<03/2017); **SANS** 1251:2005; **Seat** TL 774-C; **SETRA** 325.0; **Skoda** TL 774-C; **Smart** 325.0; **Tesla** (>2013); **Toyota** (>2015); **Volvo Trucks** (<2005); **VW-Group*** TL 774-C

*BMW-Group: Mini, Motorbike, Rolls-Royce

*MB-Group: EvoBus, SETRA, Smart

*VW-Group: Audi, Bentley, Lamborghini, Porsche, Seat, Skoda

LUKOIL COOLANT 5123


Prod. No.: 578010

APPROVALS/SPECIFICATIONS

- LUKOIL COOLANT 5123 can be diluted with water at any ratio and can be mixed with any other coolant concentrate.
- LUKOIL COOLANT 5123 should not be used pure, if diluted 1:1 by volume with distilled water the freezing point is -40°C, if diluted 1:2 by volume with distilled water the freezing point is -20°C.
- For ultimate performance do not mix LUKOIL COOLANT 5123 with other coolants.

ASTM D 3306 (2001), **BS** 6580 (1992)
ÖNORM V 5123

Automotive cooling system



LUKOIL COOLANT PLUS is also available as ready to use product LUKOIL COOLANT PERFECT READY.



COOLANT ADVISOR

CARS

Manufacturer	Model	Year of manufacture or requested specifications	Product
Alfa Romeo	All models	1976 to 2005	LUKOIL COOLANT PLUS
	All models	from 2006	LUKOIL COOLANT SF
Audi	All models	1981 to 1996 or TL 774-C	LUKOIL COOLANT PLUS
	All models	1996 to 2007 or TL 774-D/F	LUKOIL COOLANT SF
	All models	2007 to 2018 or TL 774-G	LUKOIL COOLANT SOT
	All models	from 06/2018 or TL 774-L	Available soon
Bentley	All models	1980 to 2005	LUKOIL COOLANT PLUS
	All models	2005 to 08/2008 or TL 774-D/F	LUKOIL COOLANT SF
	All models	from 2008 or TL 774-G	LUKOIL COOLANT SOT
	All models	from 06/2018 or TL-774-L	Available soon
BMW	All models	1975 to 12/2018 or BMW LC-87 < 12/2018	LUKOIL COOLANT PLUS
	All models	from 01/2019 or BMW LC-18 > 01/2019	Available soon
Chevrolet	All models	from 2001	LUKOIL COOLANT SF
Chrysler	All models	until 2010 or MS-9769	LUKOIL COOLANT SOT
	All models	from 2011	LUKOIL COOLANT SF
Citroen	All models	from 1993	LUKOIL COOLANT SF
Dacia	All models	from 2005	LUKOIL COOLANT SF
Daihatsu	All models	from 1979	LUKOIL COOLANT SF
Dodge	All models	until 2010 or MS-9769	LUKOIL COOLANT SOT
	All models	from 2011	LUKOIL COOLANT SF
Ferrari	All models	1979 to 2009	LUKOIL COOLANT PLUS
	All models	from 2010	LUKOIL COOLANT SF
Fiat	All models	1982 to 2005	LUKOIL COOLANT PLUS
	All models	from 2005	LUKOIL COOLANT SF
Ford	All models	until 1997	LUKOIL COOLANT PLUS
	All models	from 1998	LUKOIL COOLANT SF
Honda	All models	from 1983	LUKOIL COOLANT SF
Hyundai	All models	from 1982	LUKOIL COOLANT SF
Jaguar	All models	1986 to 1999	LUKOIL COOLANT PLUS
	All models	from 1999	LUKOIL COOLANT SF
Jeep	All models	until 2010 or MS-9769	LUKOIL COOLANT SOT
	All models	from 2011	LUKOIL COOLANT SF
KIA	All models	from 1991	LUKOIL COOLANT SF
Lada	All models		LUKOIL COOLANT PLUS
Lamborghini	All models	1997 to 2008 or TL 774-D/F	LUKOIL COOLANT SF
	All models	2009 to 2018 or TL 774-G	LUKOIL COOLANT SOT
	All models	from 06/2018 or TL 774-L	Available soon
Lancia	All models	1976 to 2005	LUKOIL COOLANT PLUS
	All models	from 2005	LUKOIL COOLANT SF

CARS

Manufacturer	Model	Year of manufacture or requested specifications	Product
Land Rover	All models	from 1998	LUKOIL COOLANT SF
Lexus	All models	from 1994	LUKOIL COOLANT SF
Lotus	All models	1980 to 1999	LUKOIL COOLANT PLUS
	All models	from 2000	LUKOIL COOLANT SF
Mazda	All models	from 1977	LUKOIL COOLANT SF
Mercedes-Benz Cars	All models	1976 to 04/2014 or MB-Approval 325.0	LUKOIL COOLANT PLUS
	All models	from 05/2014 or MB-Approval 325.6	LUKOIL COOLANT SOT
Mini	Gasoline engines	from 2001 or BMW LC-87	LUKOIL COOLANT PLUS
	One D/Cooper D	2007 to 2011 or BMW LC-07	LUKOIL COOLANT SF
Mitsubishi	Carisma	1996 to 2004	LUKOIL COOLANT PLUS
	Colt	2004 to 2007	LUKOIL COOLANT PLUS
	Models except CARISMA and COLT	from 1982	LUKOIL COOLANT SF
Nissan	All models	from 1982	LUKOIL COOLANT SF
Opel	All models	1975 to 2000 or B 040 0240	LUKOIL COOLANT PLUS
	All models	from 2001	LUKOIL COOLANT SF
Peugeot	All models	from 1993	LUKOIL COOLANT SF
Porsche	All models	until 1995	LUKOIL COOLANT PLUS
	All models	1996 to 2009 or TL 774-D/F	LUKOIL COOLANT SF
	All models	from 2010 or TL 774-G	LUKOIL COOLANT SOT
	All models	from 06/2018 or TL 774-L	Available soon
Renault	All models	from 1995	LUKOIL COOLANT SF
Rolls-Royce	All models	from 1998 or BMW LC-87	LUKOIL COOLANT PLUS
Rover	All models	from 1982	LUKOIL COOLANT SF
Saab	All models	1975 to 2000 or 6 901 599	LUKOIL COOLANT PLUS
	All models	from 2001	LUKOIL COOLANT SF
Seat	All models	1985 to 1996 or TL 774-C	LUKOIL COOLANT PLUS
	All models	1997 to 2007 or TL 774-D/F	LUKOIL COOLANT SF
	All models	2009 to 2018 or TL 774-G	LUKOIL COOLANT SOT
	All models	from 06/2018 or TL 774-L	Available soon
Skoda	All models	1989 to 1998 or TL 774-C	LUKOIL COOLANT PLUS
	All models	1998 to 08/2008 or TL 774-D/F	LUKOIL COOLANT SF
	All models	2009 to 2018 or TL 774-G	LUKOIL COOLANT SOT
	All models	from 06/2018 or TL 774-L	Available soon
Smart	All models	until 10/2014 or MB-Approval 325.0	LUKOIL COOLANT PLUS
	All models	from 11/2014	LUKOIL COOLANT SF

COOLANT ADVISOR

CARS

Manufacturer	Model	Year of manufacture or requested specifications	Product
Subaru	All models	from 1977	LUKOIL COOLANT SF
Suzuki	All models	from 1981	LUKOIL COOLANT SF
Toyota	All models except DIESEL	from 1978	LUKOIL COOLANT SF
	DIESEL	from 2015	LUKOIL COOLANT PLUS
Volkswagen (VW)	All models	1975 to 1996 or TL 774-C	LUKOIL COOLANT PLUS
	All models	1997 to 2009 or TL 774-D/F	LUKOIL COOLANT SF
	All models	2009 to 2018 or TL 774-G	LUKOIL COOLANT SOT
	All models	from 06/2018 or TL 774-L	Available soon
Volvo Cars	All models	until 2010	LUKOIL COOLANT PLUS
	All models	from 2011	Available soon





COOLANT ADVISOR

TRUCKS

Manufacturer	Model	Year of manufacture or requested specifications	Product
Caterpillar		DEAC	LUKOIL COOLANT SOT
		ELC	LUKOIL COOLANT SOT
Cummins		Cummins CES 14603	LUKOIL COOLANT SOT
Daewoo			LUKOIL COOLANT SF
DAF		MAT 74002	LUKOIL COOLANT SF
DEUTZ		DQC CA-14	LUKOIL COOLANT PLUS
		DQC CB-14	LUKOIL COOLANT SF
		DQC CC-14	LUKOIL COOLANT SOT
Eicher Engines	All engines	TMTL Part No. 93183798	LUKOIL COOLANT PLUS
Fuso			LUKOIL COOLANT SF
GMC			LUKOIL COOLANT SF
Hino			LUKOIL COOLANT SF
Irizar		from 09/2016	LUKOIL COOLANT SOT
Isuzu	All models	until 12/2011	LUKOIL COOLANT PLUS
	All models	from 01/2012	LUKOIL COOLANT SF
Iveco	All models	from 01/2014	LUKOIL COOLANT SF
	All models	until 12/2013	LUKOIL COOLANT PLUS
MAN Truck and Bus	All models	MAN 324 SNF	LUKOIL COOLANT SF
	All models	from 12/2012 or MAN 324 Typ Si-OAT	LUKOIL COOLANT SOT
	All models	until 11/2012 or MAN 324 NF	LUKOIL COOLANT PLUS
Mercedes-Benz Truck and Bus	All models	MB-Approval 325.3	LUKOIL COOLANT SF
	All models	from 10/2011 or MB-Approval 325.5	LUKOIL COOLANT SOT
	All models	until 09/2011 or MB-Approval 325.0	LUKOIL COOLANT PLUS
MTU		MB-Approval 325.5	LUKOIL COOLANT SOT
Renault Truck	All models		LUKOIL COOLANT SF
Scania		from 1998	LUKOIL COOLANT SF
		until 1997	LUKOIL COOLANT PLUS
SETRA	All models	MB-Approval 325.0	LUKOIL COOLANT PLUS
	All models	MB-Approval 325.3	LUKOIL COOLANT SF
	All models	MB-Approval 325.5	LUKOIL COOLANT SOT
UD Nissan Diesel			LUKOIL COOLANT SF
Volvo Trucks	All models	from 2006	LUKOIL COOLANT SF
	All models	until 2005 or TR 1286083	LUKOIL COOLANT PLUS



Horgos SteerKraft Industries Ltd
LUKOIL Lubricants Central Asia LLP



Horgos SteerKraft Industries Ltd is an exclusive authorized partner of LUKOIL Lubricants Central Asia LLP.

All materials, information, images, and logos associated with this partnership are the trademarks and intellectual property of LUKOIL Lubricants Central Asia LLP and LUKOIL Lubricants Europe GmbH.



Contact information:

+86 (155) 2980 8330 (Tel / Wechat / WhatsApp)

+7 (775) 134 5555 (KZ)

+1 (416) 613 8411 (CA)

General inquiries:

info@lukoil-lubricants.uk

China - Xinjiang inquiries:

info-lukoil@sk-industries.uk

Sales inquiries:

sales@sk-industries.uk

<https://www.sk-industries.uk>

<https://www.lukoil-lubricants.uk>

Headquarter Office:

Shuimogou District
Hongguang Mountain Road 888, Building
6, 10th floor, Greentown Plaza,
Urumqi, Xinjiang, PRC.

Xi'an Branch Office:

China Resources Center, Room 2012,
Xinzhu Street, Baqiao District, Xi'an,
Shaanxi, PRC.

Yulin Branch Office:

Central Park, Building A-2401, Yulin,
Shaanxi, PRC.

Hong Kong Branch Office:

Unit B, 11/F, 23 Thompson Road, Wan
Chai, Hong Kong SAR, China.

