



PASSENGER CAR AND LIGHT COMMERCIAL VEHICLE ENGINE OILS

GENESIS | LUXE





ALWAYS MOVING FORWARD.







GENESIS

| LUKOIL GENESIS SPECIAL C5 0W-20 | |
|---|----|
| LUKOIL GENESIS SPECIAL C5X 0W-20 | |
| LUKOIL GENESIS SPECIAL RN 0W-20 | |
| LUKOIL GENESIS SPECIAL 0W-40 | 7 |
| LUKOIL GENESIS SPECIAL VN 0W-20 | |
| LUKOIL GENESIS SPECIAL VN 0W-30 | |
| LUKOIL GENESIS SPECIAL VN 5W-30 | |
| LUKOIL GENESIS SPECIAL C1 5W-30 | 9 |
| LUKOIL GENESIS SPECIAL C2 0W-30 | |
| LUKOIL GENESIS SPECIAL C2 5W-30 | |
| LUKOIL GENESIS SPECIAL C3 5W-30 | |
| LUKOIL GENESIS SPECIAL C3 5W-40 | 10 |
| LUKOIL GENESIS SPECIAL C4 5W-30 | |
| LUKOIL GENESIS SPECIAL 5W-40 | |
| LUKOIL GENESIS SPECIAL FD 0W-30 | |
| LUKOIL GENESIS SPECIAL FD 5W-20 | 11 |
| LUKOIL GENESIS SPECIAL JLR 0W-20 | |
| LUKOIL GENESIS SPECIAL MC 0W-20 | |
| LUKOIL GENESIS SPECIAL MD 0W-30 | |
| LUKOIL GENESIS SPECIAL RN 5W-30 | 14 |
| LUKOIL GENESIS SPECIAL VL 0W-20 | |
| LUKOIL GENESIS SPECIAL XFE 5W-30 | |
| LUKOIL GENESIS SPECIAL XFE 0W-16 | |
| LUKOIL GENESIS SPECIAL FE 0W-20 | 15 |
| LUKOIL GENESIS SPECIAL A5/B5 0W-30 | |
| LUKOIL GENESIS SPECIAL A5/B5 5W-30 | |
| LUKOIL GENESIS SPECIAL RACING 10W-60 | |
| LUKOIL GENESIS ADVANCED 5W-40 | |
| LUKOIL GENESIS ADVANCED 10W-40 | 17 |
| LINE | |
| LUXE | |
| LUKOIL LUXE SYNTHETIC 5W-30 | |
| LUKOIL LUXE SYNTHETIC 5W-40 | |
| LUKOIL LUXE VN 5W-30 | |
| LUKOIL LUXE C3 5W-30 | |
| LUKOIL LUXE C3 5W-40 | 21 |
| LUKOIL LUXE A3/B4 10W-40 | |
| LUKOIL LUXE 10W-40 | |
| LUKOIL LUXE 15W-40 | |
| LUKOIL LUXE 20W-50 | 22 |
| ==::::===:::===::====================== | |

LUKOIL LUBRICANTS ENABLE RELIABLE MOBILITY FOR MILLIONS WORLDWIDE AND PROVE THEMSELVES DAILY UNDER ALL CONDITIONS.

Lubricants are some of the most important technical components of our daily life – and yet they are rarely noticed. And so it should be. After all, safety and progress can only be guaranteed by high-quality products with long service lives that invisibly keep our ever more dynamic world turning smoothly. LUKOIL Lubricants takes its responsibility as a manufacturer of first-class, reliable lubricants extremely seriously. The company's products are used across a range of industries, ensuring the smooth functioning of vehicles as well as boats and agricultural machinery.

In this way, LUKOIL helps keep today's highly complex logistics networks from grinding to a halt – which would be unthinkable in our modern ultramobile society. Nor is coming to a halt an option for the LUKOIL company. Stable growth, securing of resources and steady improvement of products and processes are essential in a highly dynamic market. LUKOIL has therefore established the goal of being at the absolute top in the most challenging segment: fully synthetic, high-performance oils for modern vehicle engines. The development of LUKOIL GENESIS is an impressive and successful example of this strategy – but we are always striving for more.

Founded in 1991 by a merger of regional oil and gas transport companies in the western Siberian cities of Langepas, Uray and Kogalym (LUK), LUKOIL developed into the largest private oil group in Russia. In line with its established creed of vertical integration – in other words raw material extraction, production and development as well as sales of high-quality products all at a single company – LUKOIL always strives to offer perfect service to its customers. In recent years,







the focus here has been on the lubricants business. Through constant development work at seven refineries and production sites in Europe, including the newly added production and filling plant at the oil port of Lobau, LUKOIL Lubricants has already won over more than 300 manufacturers in the automotive industry, especially with the high-quality oils for the critical European market.

The Austrian market is also gaining in importance here. After all, it is from here that LUKOIL serves all Western European countries, not only with production and development, but also with the operation of a highly efficient distribution network. The lion's share of the value creation is therefore situated in Austria – at the heart of Europe. An important signal of stability and a long-term orientation. The decades of experience of Austrian experts in the role of a Central European hub and interface between East and West also ensure smooth functioning of all critical logistical flows. With the Danube port of Lobau and the Vienna Airport, high-capacity transport routes are a given.



LUKOIL GENESIS MOTOR OIL

THE PREMIUM ENGINE OIL FROM LUKOIL IS PREPARING TO CONQUER THE EUROPEAN MARKET FROM VIENNA – WITH HIGH QUALITY AND A SUSTAINABLE BUSINESS MODEL.

With the expansion of the Vienna production site and the associated strict quality controls, LUKOIL is sending a strong signal for the quality standard of LUKOIL GENESIS. As a home for modern technology enterprises, Austria also guarantees a product that not only meets the strict quality, environmental and ethical standards in Austria but subsequently throughout Europe as well.

As a fully synthetic Engine Oil, LUKOIL GENESIS meets all the requirements of modern petrol and

diesel engines. Especially with regard to ever higher performance, more efficient consumption and, not least, fulfilment of the strictest environmental standards, selecting the right Engine Oil has now become a critical decision. And not only for OEMs, particularly in mid-range and luxury vehicles, but especially at maintenance and service centres.

LUKOIL is working to ensure that GENESIS is available at all retailers, service stations, workshops and fuel stations.





QUALITY FROM AUSTRIA

In our state-of-the-art production facilities in Lobau, Vienna, as well as in Finland and Romania, we manufacture over 40,000 tonnes of lubricant every year, using first-class source materials. Our scientific experts also work continuously to improve our products to guarantee ever greater reliability and progress.

In this way, LUKOIL can supply customers around the world – even in the most demanding segment of fully synthetic, high-performance lubricants – with reliable and individual solutions for special applications.

IT'S A MATTER OF TRUST.



LUKOIL GENESIS SPECIAL C5 0W-20

Prod. No.: 563127

APPROVALS/SPECIFICATIONS



- Synthetic low ash engine oil specially developed for the latest generations of gasoline and diesel engines from leading manufacturers
- Synthetic high performance engine oil for the highest manufacturer requirements and strictest emission limits
- The viscosity range of SAE OW 20 ensures the best possible fuel saving potential
- Optimal for many Asian OEM such as Honda, Hyundai, Kia, Mazda, Mitsubishi, Nissan, Subaru, Suzuki & Toyota

ACEA C5; API SN-RC, SP, SN, SN PLUS-RC, SN-PLUS, SP-RC; BMW LL-14FE+, LL-17FE+; Chrysler MS-12145; Fiat 9.55535-GSX; Ford WSS M2C962-A1, WSS-M2C947-B1; ILSAC GF-5, GF-6A; JAGUAR LAND ROVER STJLR.03.5006; MB 229.71, 229.72; Volvo VCC-RBS0-2AE

LUKOIL GENESIS SPECIAL C5X 0W-20

Prod. No.: 563129

APPROVALS/SPECIFICATIONS



- Synthetic, fuel-saving low SAPS high-performance oil for the latest engine generations (EURO 6d) with particle filter units (GPF, DPF with/ without SCR)
- Avoid preventively "LSPI" (premature self-ignition) through special additives
- Rapid lubrication and excellent pumpability facilitate cold starts and help to protect the engine from wear, especially in the in the warm-up phase

ACEA C5; API SN, SN PLUS, SP; Ford WSS-M2C952-A1; GM dexos D; ILSAC GF-6A; JAGUAR LAND ROVER STJLR.03.5006; MB-Approval 229.71

LUKOIL GENESIS SPECIAL RN 0W-20

Prod. No.: 563125

APPROVALS/SPECIFICATIONS



- Specially developed for the latest Renault & Dacia gasoline and diesel engine generations, which require the "RN17 FE" specification
- The RN OW-20 "low viscosity" variant has a further improved fuel saving potential
- Synthetic, low-ash high-performance engine oil
- Can also be used in many other engines according to the manufacturer's instructions, where an engine oil according to ACEA C5 with a viscosity class of SAE OW-20 is required

ACEA C5; Renault RN17 FE

LUKOIL GENESIS SPECIAL 0W-40

Prod. No.: 563003

APPROVALS/SPECIFICATIONS



- Wide viscosity range of SAE OW-40 ensures maximum safety and extreme lubricity, even at the highest temperatures in the engine
- Optimal antioxidative and corrosion-inhibiting properties guarantee maximum engine cleanliness and long durability for all components
- High fuel saving potential during the warm-up phase due to the reduced internal friction of the engine
- Ideal for
 - Highly-loaded Mercedes and AMG engines
 - Water and air cooled engines from Porsche
 - Many other applications in gasoline and diesel engines from the Renault and VW group

ACEA A3/B3, A3/B4; API CF, SN; BMW LL-01; Ford WSS-M2C937-A; MB-Approval 229.5, MB 226.5, 229.3; Renault RN 0700, RN 0710; VW 502 00/505 00





LUKOIL GENESIS SPECIAL VN 0W-20

Prod. No.: 563117

GENESIS

APPROVALS/SPECIFICATIONS

- Fully synthetic, fuel-efficient Engine Oil for high-performance petrol and diesel engines (with and without DPF)
- Newest product specially for vehicles from the VW GROUP (LongLife IV)
- For engines that achieve maximum fuel savings thanks to the reduced viscosity (BLUE OIL)
- Minimized wear thanks to rapid lubrication, outstanding lowtemperature properties
- Not backwards-compatible with older VW standards

ACEA A1/B1, C5; **FORD** WSS-M2C956-A1; **Porsche** C20; **VW** 508 00/509 00

LUKOIL GENESIS SPECIAL VN 0W-30



Prod. No.: 563110

- Fully synthetic, low ash engine oil for highest performance reauirements
- Perfect operational safety even under extreme loads e.g. stop-and-go traffic
- The advanced additive technology in combination with polyalphaolefin (PAO) base oils ensures the best possible performance over the entire drain interval
- Ideally suitable for many modern passenger cars and light commercial vehicles with turbo charged petrol and diesel high-performance engines

APPROVALS/SPECIFICATIONS

ACEA C3; **API** SN; **BMW** LL-04; **MB** 229.31, 229.51, 229.52; **VW** 504 00/507 00

LUKOIL GENESIS SPECIAL VN 5W-30



Prod. No.: 563113

APPROVALS/SPECIFICATIONS



- Synthetic, low-ash, fuel-efficient Engine Oil for the highest performance requirements
- Excellently suited for modern car engines from BMW, Mercedes, Porsche and the VW Group (LongLife III)
- Advanced additive technology guarantees the longest oil change intervals and effectively protects the engine and the particulate filter

ACEA C3; API SN; BMW LL-04; Fiat 9.55535-S3; MB-Approval 229.51, MB 229.31; VW 504 00/507 00

LUKOIL GENESIS SPECIAL C1 5W-30



Prod. No.: 563106

APPROVALS/SPECIFICATIONS

- Synthetic, extremely low-ash, fuel-efficient Engine Oil that quarantees maximum fuel savings
- Maximum base oil quality and advanced additive technology guarantee the longest DPF lifespan
- Guarantees maximum component cleanliness in the engine

ACEA C1; JAGUAR LAND ROVER STJLR.03.5005





LUKOIL GENESIS SPECIAL C2 0W-30

GENESIS SPECIAL ON 35 AMERICAL

Prod. No.: 563108

- Low-ash, synthetic, high-performance Engine Oil developed for modern petrol and diesel engines with particulate filter – especially for the newest PEUGEOT and CITROEN models
- Maximum environmental protection and minimized oilrelated emissions
- Extremely good low-temperature behaviour thanks to rapid lubrication in cold conditions
- Good fuel savings

APPROVALS/SPECIFICATIONS

ACEA C2; PSA B71 2312

LUKOIL GENESIS SPECIAL C2 5W-30



Prod. No.: 563107

- Synthetic, low-ash, fuel-efficient Engine Oil, especially suited for petrol and diesel engines with particulate filter from PEUGEOT, CITROEN, HONDA and TOYOTA
- Easy on the environment, protects engines and particulate filters
- Maximum engine cleanliness, reduced friction, long engine lifespan thanks to the newest additive technology

APPROVALS/SPECIFICATIONS

ACEA A1/B1, A5/B5, C2; API CF, SN; Fiat 9.55535-S1; Iveco 18-1811 SC1; PSA B71 2290; Renault RN 0700

LUKOIL GENESIS SPECIAL C3 5W-30



Prod. No.: 563104

APPROVALS/SPECIFICATIONS



- Synthetic, low-ash, fuel-efficient Engine Oil for maximum performance requirements
- Specially developed for modern car engines, excellently suited for vehicles with diesel particulate filter
- Excellent wear protection and outstanding piston cleanliness, guarantees a long engine lifespan
- Longest oil change intervals, protects engines and particulate filters

ACEA C2, C3; API CF, SN; BMW LL-04; Fiat 9.55535-S3; GM dexos2®; MB-Approval 226.5, 229.51, 229.52, MB 229.31; PSA B71 2290; Renault RN 0700, RN 0710

LUKOIL GENESIS SPECIAL C3 5W-40



Prod. No.: 563105

APPROVALS/SPECIFICATIONS

- For universal use ideal for the modern vehicle fleet
- Synthetic, low-ash, fuel-efficient Engine Oil for maximum performance requirements
- Specially developed for modern car engines, excellently suited for vehicles with diesel particulate filter and pump-nozzle injection
- Longest oil change intervals, reliably protects engines and particulate filters

ACEA C3; API CF, SN; BMW LL-04; Fiat 9.55535-S2; Ford WSS-M2C917-A; GM dexos2®; MB-Approval 229.51, MB 226.5, 229.31; Renault RN 0700, RN 0710; VW 505 00/505 01



LUKOIL GENESIS SPECIAL C4 5W-30

LKS

APPROVALS/SPECIFICATIONS

- Extremely low-ash, synthetic, high-performance Engine Oil, specially developed for modern petrol and diesel engines with particulate filters from RENAULT
- The advanced additive technology enables the longest oil change intervals
- Reliably protects engines and particulate filters

ACEA C4; **MB**-Approval 226.51, **MB** 229.31, 229.51



LUKOIL GENESIS SPECIAL 5W-40

Prod. No.: 563002

Prod. No.: 563111

APPROVALS/SPECIFICATIONS



- Synthetic, fuel-efficient Engine Oil for petrol engines without particulate filters
- Optimal for older diesel engines without diesel particulate filter
- Advanced additive technology offers optimal lubrication reliability and ideal engine wear protection with maximum performance reserves
- Maximum efficiency, energy yield and fuel savings thanks to reduced friction in the engine

ACEA A3/B3, A3/B4; API CF, SN; BMW LL-01; Fiat 9.55535-N2, 9.55535-Z2; MB-Approval 229.5, MB 226.5, 229.3; Porsche A40; PSA B71 2296; Renault RN 0700, RN 0710; VW 502 00/505 00

LUKOIL GENESIS SPECIAL FD 0W-30



Prod. No.: 563116

APPROVALS/SPECIFICATIONS

- Synthetic, fuel-efficient Engine Oil, specially developed for the new Ford TDCi Duratorq Euro 6 diesel engines
- Optimal wear protection for all engine components
- Reduces the friction of the moving parts and prolongs the engine lifespan
- Outstanding low-temperature properties and long usage periods

ACEA C2; **Fiat** 9.55535-GS1, DS1; **Ford** WSS-M2C950-A

LUKOIL GENESIS SPECIAL FD 5W-20



Synthetic, fuel-efficient Engine Oil for modern FORD ECOBOOST engines

- Guarantees maximum engine cleanliness, optimal compatibility with toothed belts running in oil, prolongs the engine lifespan
- Maximum fuel savings

Prod. No.: 563115

■ Rapid lubrication in the warm-up phase of the engine, guarantees fast starting at extremely cold temperatures

ACEA A1/B1; API SN, SN-RC; Fiat 9.55535-CR1; Ford WSS-M2C948-A, WSS-M2C948-B; ILSAC GF-5; JAGUAR LAND ROVER STJLR.03.5004

APPROVALS/SPECIFICATIONS

WHICH LUBRICANTS DO I NEED?

Further information on our products and support in the selection of lubricants for various applications can be found in the LUKOIL lubricant advisor atwww.lukoil-lubricants.eu. Our team will be happy to support you with technical questions and concerns at www.lukhelp.com.

| PRODUKT | LUKOIL GENESIS SPECIAL C5 | LUKOIL GENESIS SPECIAL C5X | GENESIS | | LUKOIL GENESIS SPECIAL C1 | SIS GENESIS | | LUKOIL GENESIS SPECIAL C3 | | GENESIS GI | | .UKOIL ENESIS PECIAL | | |
|----------------------------|---|--|------------------------------|----------------------------|------------------------------------|---------------------------------------|----------|------------------------------------|-------------------------------------|---------------------------|----------------------------|----------------------------|--------------------------|----------------|
| MAT. NR | 563127 | 563129 | 563117 | 563110 | 563113 | 563106 | 563108 | 563107 | 563104 | 563105 | 563111 | 563003 | 563002 | 563 |
| SAE | 0W-20 | 0W-20 | 0W-20 | 0W-30 | 5W-30 | 5W-30 | 0W-30 | 5W-30 | 5W-30 | 5W-40 | 5W-30 | 0W-40 | 5W-40 | 0W |
| ACEA | CS | C5 | C5 A1/B1* | C3 | C3 | C1* | C2 | C2 A5/B5 A1/B1* | C3 C2 | C3 | C4 | A3 / B4 A3 / B3* | A3 / B4 A3 / B3* | , |
| API | SP, SN Plus-RC, SN Plus, SN-RC, SP-RC, SN | SP SN PLUS SN | - | SN | SN | - | - | SN CF | SN CF | SN CF | - | SN CF | SN CF | |
| BMW | LL-17FE+ LL-14FE+ | - | - | LL-04 | LL-04 | - | - | - | LL-04 | LL-04 | - | LL-01 | LL-01 | |
| FIAT | 9.55535-GSX | | - | - | 9.55535-S3 | | - | 9.55535-S1 | 9.55535-S3 | 9.55535-52 | - | - | 9.55535-Z2 9.55535-N2 | 9.555 9.555 |
| FORD | 947-B1 962-A1 | 952-A1 | - | - | - | - | - | - | - | 917-A | - | 937-A | - | 95 |
| MERCEDES-BENZ | 229.71 229.72 | 229.71 | - | 229.31 229.51 229.52 | 229.51 229.31 | - | - | - | 229.52 229.51 229.31 226.5 | 229.51 229.31 226.5 | 229.51 229.31 226.51 | 229.5 229.3 226.5 | 229.5 229.3 226.5 | |
| OPEL/GM | - | GM dexos D | - | - | - | - | - | - | GM dexos2° | GM dexos2° | - | - | - | |
| PORSCHE | - | - | C20 | - | - | - | - | - | - | - | - | - | A40 | |
| PSA-GRUPPE (STELLANTIS) | | - | - | - | - | - | B71 2312 | B71 2290 | B71 2290 | - | - | - | B71 2296 | |
| RENAULT | - | | - | - | - | - | | RN0700 | RN0700 RN0710 | RN0700 RN0710 | - | RN0700 RN0710 | RN0700 RN0710 | |
| VW-GRUPPE | - | - | 508 00 509 00 TL 52577 | 504 00 507 00 | 504 00 507 00 | - | - | - | - | 505 00 505 01 | - | 502 00 505 00 | 502 00 505 00 | |
| ANDERE HERSTELLER | Chysler MS-15145 ILSAC GF-5, GF-6A JAGUAR LAND ROVER STJLR.03.5006 Volvo VCC-RBSO-2AE | ILSAC GF-6A JAGUAR LAND ROVER STJLR.03.5006 | - | - | - | JAGUAR LAND ROVER STJLR.03.5005 | - | IVECO 18-1811 SC1 | - | - | - | - | - | |

| SPE | ESIS | LUKOIL GENESIS SPECIAL JLR | LUKOIL GENESIS SPECIAL MC | | GEN SPE | COIL ESIS CIAL N | LUKOIL GENESIS SPECIAL VL | GEN SPE | COIL ESIS CIAL FE | LUKOIL GENESIS SPECIAL FE | GEN SPE | COIL ESIS CIAL /B5 | LUKOIL GENESIS SPECIAL RACING | GEN | COIL ESIS NCED |
|------------------|---|---------------------------------------|------------------------------------|------------------|------------|---------------------------|------------------------------------|---------------------------|--|------------------------------------|---------------------|--|--|--|----------------------------|
| 116 | 563115 | 563119 | 563021 | 563031 | 563125 | 563124 | 563102 | 563128 | 563118 | 563114 | 563112 | 563100 | 563109 | 563041 | 563040 |
| -30 | 5W-20 | 0W-20 | 0W-20 | 0W-30 | 0W-20 | 5W-30 | 0W-20 | 0W-16 | 5W-30 | 0W-20 | 0W-30 | 5W-30 | 10W-60 | 5W-40 | 10W-40 |
| 2 | A1/B1* | C5 A1/B1* | CS | - | CS | C3 | C5 A1/B1* | - | - | - | A5 / B5 A1 / B1* | A5 / B5 A1 / B1* | A3 / B4 A3 / B3* | A3 / B4 A3 / B3* | A3 / B4 A3 / B3* |
| - | SN-RC SN | - | - | - | - | - | SN | SP SN | SP SN Plus SN-RC SN | SN-RC SN | SL | SL CF | SN | SN CF | SN CF |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 35-GS1 35-DS1 | 9.55535-CR1 | | - | | - | - | 9.55535-DSX | - | - | 9.55535-CR1 | - | - | 9.55535-H3 | 9.55535-N2 9.55535-M2 9.55535-H2 | 9.55535-G2 |
| 0-A | 948-B 948-A | - | - | - | - | - | - | - | 946-A | - | - | 913-D 913-C 913-B 913-A | - | - | - |
| - | | 229.71 | 229.71 | 229.61 227.61 | | - | | - | | - | - | - | - | 229.3 | 229.3 |
| - | - | - | - | - | - | - | - | - | dexos1° Gen2 OV 040 1547- G30 | - | - | - | - | - | GM-LL-A-025 GM-LL-B-025 |
| | - | | - | | | - | | - | | - | - | - | - | | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | B71 2296 | B71 2294 B71 2300 |
| - | | | | | RN17 FE | RN17 | | - | | - | RN0700 | RN0700 | | RN0700 RN0710 | RN0700 RN0710 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | 502 00 505 00 | 502 00 505 00 |
| | ILSAC GF-5 JAGUAR LAND ROVER STJLR.03.5004 | JAGUAR LAND ROVER STJLR.51.5122 | - | - | - | - | Volvo VCC-RBS0-2AE | ILSAC GF-5 ILSAC GF-6B | ILSAC GF-5 ILSAC GF-6A | ILSAC GF-5 | Volvo 95200377 | JAGUAR LAND ROVER STJLR.03.5003 IVECO 18-1811 S1 | - | - | - |





LUKOIL GENESIS SPECIAL JLR 0W-20



Prod. No.: 563119

APPROVALS/SPECIFICATIONS

- Fully synthetic, fuel-efficient Engine Oil for high-performance petrol and diesel engines with and without DPF, specially developed for Jaguar and Land Rover
- Specially for engines that achieve maximum fuel savings thanks to the reduced viscosity and are compatible with exhaust aftertreatment systems
- Minimized engine wear, especially in the warm-up phase

ACEA A1/B1, C5; **JAGUAR LAND ROVER** STJLR.51.5122; **MB** 229.71

LUKOIL GENESIS SPECIAL MC 0W-20



Prod. No.: 563021

APPROVALS/SPECIFICATIONS

- Specially developed for use in modern diesel and petrol engines from MB/Daimler that require Engine Oil with viscosity OW-20 and specification MB 229.71
- Fully synthetic, fuel-efficient Engine Oil, specially developed for use in modern diesel and petrol engines
- Extreme fuel savings due to reduced friction and long lifespans thanks to high-quality synthetic base oils
- Minimized wear thanks to rapid lubrication and outstanding low-temperature properties guarantee reliable starting at cold temperatures

ACEA C5; MB-Approval 229.71

LUKOIL GENESIS SPECIAL MD 0W-30



Prod. No.: 563031

Prod. No.: 563124

APPROVALS/SPECIFICATIONS



- Specially developed for use in modern diesel and petrol engines from MB/Daimler that require Engine Oil with viscosity OW-30 and specification MB 229.61
- Fully synthetic, fuel-efficient Engine Oil, specially developed for use in modern diesel and petrol engines
- Extreme fuel savings due to reduced friction and long lifespans thanks to high-quality synthetic base oils
- Minimized wear thanks to rapid lubrication and outstanding low-temperature properties guarantee reliable starting at cold temperatures

MB-Approval 227.61, 229.61

LUKOIL GENESIS SPECIAL RN 5W-30



■ Synthetic, low-ash, fuel-efficient Engine Oil for maximum performance requirements

 Specially developed for the newest RENAULT engines (petrol and diesel), excellently suited for vehicles with particulate filter

- Excellent wear protection and outstanding piston cleanliness, guarantees a long engine lifespan
- Longest oil change intervals, protects engines and particulate filters

ACEA C3; Renault RN17

APPROVALS/SPECIFICATIONS



LUKOIL GENESIS SPECIAL VL 0W-20

Prod. No.: 563102

APPROVALS/SPECIFICATIONS



- Fully synthetic, fuel-efficient Engine Oil for the highest performance requirements – for Volvo vehicles
- Combines maximum performance and ultimate fuel savings with 40% beyond the ACEA standard
- Enables the longest maintenance intervals without sacrificing operational reliability, 3 times greater wear protection than required
- Rapid lubrication especially during cold starts in the winter ensures reduced wear

ACEA A1/B1, C5; **API** SN; **Fiat** 9.55535-DSX; **Volvo** VCC-RBSO-2AE

LUKOIL GENESIS SPECIAL XFE 5W-30

Prod. No.: 563118

APPROVALS/SPECIFICATIONS



- Synthetic, fuel-efficient Engine Oil for modern petrol engines from GM that require oil satisfying GM dexos1™ Gen2
- Effectively prevents LSPI (low-speed pre-ignition)
- This product can only be used in vehicles with petrol engines NOT suitable for diesel engines
- Additive technology keeps turbochargers and intercoolers clean
- Guarantees maximum engine cleanliness, reduced friction of moving parts and a long engine lifespan

API SN, SN PLUS, SN-RC, SP; **Ford** WSS-M2C946-A; **GM** dexos1® Gen2; **ILSAC** GF-5, GF-6A; **Opel** OV 040 1547 - G30

LUKOIL GENESIS SPECIAL XFE 0W-16

Prod. No.: 563128

APPROVALS/SPECIFICATIONS



- Synthetic engine oil for modern hybrid vehicles as well as gasoline engines with turbocharging and direct injection
- Maximum fuel saving due to the low viscosity class of SAE 0W-16
- Effective prevention of LSPI (low speed pre-ignition) because of innovative additives
- Ideally suitable for hybrid engines: micro-, mild-, full- & plug-in hybrids
- Developed for the usage in many Asian vehicles such as Honda, Hyundai, Lexus, Suzuki & Toyota

API SN, SP; ILSAC GF-5, GF-6B



LUKOIL GENESIS SPECIAL FE 0W-20

Prod. No.: 563114

APPROVALS/SPECIFICATIONS



- Newly developed, synthetic, fuel-efficient Engine Oil for petrol engines of the newest generation of EEV (Environment Enhanced Vehicle) and hybrid vehicles
- Combines maximum performance with optimal fuel savings
- Ensures the highest engine cleanliness, prolongs the engine lifespan
- Minimizes wear thanks to rapid lubrication in the warm-up phase and during cold starts in winter

API SN, SN-RC; Fiat 9.55535-CR1; ILSAC GF-5; GENESIS





LUKOIL GENESIS SPECIAL A5/B5 0W-30

GENESIS SPECIAL ON 30 Marian II Prod. No.: 563112

performance reserves

- Fully synthetic, fuel-efficient Engine Oil for the highest performance
- Extended maintenance intervals, maximum operational reliability and
- Maximum fuel savings due to reduced high-temperature viscosity
- Outstanding low-temperature properties guarantee reliable cold starting
- Specially recommended for older VOLVO vehicles

ACEA A1/B1, A5/B5; API SL; Renault RN 0700; Volvo 95200377

APPROVALS/SPECIFICATIONS

LUKOIL GENESIS SPECIAL A5/B5 5W-30



Prod. No.: 563100

- APPROVALS/SPECIFICATIONS
- The synthetic, fuel-efficient Engine Oil satisfies the highest performance requirements
- Optimal for use in modern passenger car engines
- 20% higher fuel savings over standard requirements, maximum engine cleanliness and high ageing stability guarantee long oil change intervals and high efficiency
- Excellently suited for vehicles from Ford. Except for: Ford KA manufactured as of August 2008, Ford Galaxy 1.9 TDI and Ford Focus RS as of March 2009

ACEA A1/B1, A5/B5; API CF, SL; Ford WSS-M2C913-A, WSS-M2C913-B, WSS-M2C913-C, WSS-M2C913-D; Iveco 18-1811 S1; JAGUAR LAND ROVER STJLR.03.5003; Renault RN 0700

LUKOIL GENESIS SPECIAL RACING 10W-60



Prod. No.: 563109

APPROVALS/SPECIFICATIONS



- Fully synthetic, high-performance Engine Oil, specially suited for use in 4-stroke engines under extreme conditions, such as racing
- Optimal lubrication and wear protection at extreme RPMs and temperatures
- Ensures maximum engine cleanliness under extreme racing conditions

ACEA A3/B3, A3/B4; **API** SN; **Fiat** 9.55535-H3

LUKOIL GENESIS ADVANCED 5W-40



Prod. No.: 563041

APPROVALS/SPECIFICATIONS

- Partly synthetic, fuel-efficient Engine Oil for petrol and diesel engines without diesel particulate filter
- Good cold start properties and rapid lubrication, especially during the warm-up phase of the engine
- Maximum reliability in urban stop-and-go traffic
- Ideal for older car models

ACEA A3/B3, A3/B4; API CF, SN; Fiat 9.55535-H2, M2, N2; MB 229.3; Renault RN 0700, RN 0710; VW 502 00/505 00



LUKOIL GENESIS ADVANCED 10W-40

Prod. No.: 563040

APPROVALS/SPECIFICATIONS



- Partly synthetic, fuel-efficient Engine Oil for petrol and diesel engines without diesel particulate filter
- Reduces friction in cold operation, spares the engine thanks to rapid lubrication, especially during the warm-up phase of the engine
- Maximum reliability in urban stop-and-go traffic
- Good fit for 2005 models and older

ACEA A3/B3, A3/B4; API CF, SN; Fiat 9.55535-G2; MB 229.3; Opel GM-LL-B-025; PSA B71 2294, B71 2300; Renault RN 0700, RN 0710; VW 502 00/505 00








+ 1 LITRE AT EVERY SERVICE

| WHY YOU SHOULD OFFER EVERY CUSTOMER AN ADDITIONAL LITRE | | ADVANTAGES AND ARGUMENTS FOR YOUR CUSTOMERS |
|--|------|---|
| | R | Avoidance of technical problems – the right oil is always used |
| DURING AN OIL CHANGE | * | Service providers know the right oil quality; an unsuitable oil could void warranty claims |
| | STOP | Extended oil change intervals require special oils that are often not available at petrol stations |
| | | The operating manual contains recommendations concerning top-up quantities |
| UPON PURCHASE OF A NEW CAR | STOP | Extended oil change intervals require special oils that are often not available at petrol stations |
| | * | Service providers know the right oil quality; an unsuitable oil could void warranty claims |
| AT ALL | ٥ | Oil level checks are important since 32% of vehicles operate at too low a level, which can lead to engine damage. |
| SERVICE VISITS | Ä | Safety on the road |



WHICH ENGINE OIL DO I NEED?

Further information on our products and support in the selection of lubricants for various applications can be found in the LUKOIL lubricant advisor at www.lukoil-lubricants.eu. Our team will be happy to support you with technical questions and concerns at www.lukhelp.com.





PACKAGING INFORMATION

| PACKAGING | TARE BOX (KG) | TARE CONTAINER (KG) | WIDTH (MM) | HEIGHT (MM) | LENGTH (MM) | DIA- METER (MM) | UNITS PER PALLET | PALLET SIZE (CM) | UNITS PER SALE UNIT |
|-----------------------------------|---------------------|---------------------------|---------------|----------------|----------------|-----------------------|------------------------|------------------------|---------------------------|
| 1 LITRE BOTTLE | 0,35 | 0,08 | 260 | 240 | 380 | _ | 432 | 120 x 80 | 12 |
| 5 LITRE BOTTLE | 0,32 | 0,3 | 260 | 330 | 380 | _ | 81 | 120 x 80 | 3 |
| 20 LITRE CANISTER & BAG IN BOX | _ | 1,0 | 260 | 362 | 300 | - | 36 | 120 x 80 | _ |
| DRUM 60 LITRES | _ | 4,0 | _ | 586 | _ | 384 | 6 | 120 x 80 | _ |
| DRUM 205 LITRES | _ | 14,5 | _ | 878 | - | 585 | 4 | 120 x 120 | _ |
| IBC CONTAINER 1000 LITRES | - | 60 | 1000 | 1200 | 1200 | - | - | _ | - |



APPROVALS/SPECIFICATIONS

ENGINE OILS FOR PASSENGER VEHICLES

LUKOIL LUXE SYNTHETIC 5W-30

Prod. No.: 568107

- Synthetic multi-grade Engine Oil, developed for modern petrol and diesel engines, including turbocharged
- Oil usage time corresponds to the oil change intervals specified by OEMs
- Suitable for FORD vehicles requiring the specification FORD WSS-M2C913-C

ACEA A1/B1, A5/B5; **API** CF, SL; **AVTOVAZ**; **Fiat** 9.55535-G1; Ford WSS-M2C913-A WSS-M2C913-B, WSS-M2C913-C, WSS-M2C913-D: Iveco 18-1811 S1; Renault RN 0700

LUKOIL LUXE SYNTHETIC 5W-40



- Synthetic multi-grade Engine Oil, exceeds the requirements of API SN/ CF and ACEA A3/B4
- The product is produced with high-quality base oils and modern additive technology
- Good viscosity and temperature behaviour
- Good cold start properties

Prod. No.: 568108

APPROVALS/SPECIFICATIONS

ACEA A3/B3, A3/B4; API CF, SN; AVTOVAZ; Fiat 9.55535-N2, 9.55535-Z2; **MB** 226.5, 229.5; Renault RN 0700, RN 0710; **VW** 502 00/505 00

LUKOIL LUXE VN 5W-30

Prod. No.: 568112



- A synthetic, low-ash, fuel-efficient Engine Oil for the highest performance requirements
- Excellently suited for modern car engines, especially vehicles with diesel particulate filter and pump-nozzle injection
- Supports the longest oil change intervals, protects the engine
- Specially suited for vehicles from the VW Group (LongLife III)

ACEA C3; MB 229.31, 229.51; **VW** 504 00/507 00

APPROVALS/SPECIFICATIONS

LUKOIL LUXE C3 5W-30

Prod. No.: 568111



- Low-ash, synthetic, fuel-efficient Engine Oil for modern petrol and diesel
- engines with particulate filter ■ The new mid-SAPS technology is easy on the environment and diesel particulate filters (DPF)
- Maximum engine cleanliness, reduces the friction of the moving parts and ensures a long engine lifespan
- Suitable for use in petrol and diesel engines with particulate filter from BMW, Mercedes Benz, Renault and Opel

APPROVALS/SPECIFICATIONS

ACEA C3; API CF, SN; GM dexos2®; MB 226.5, 229.31, 229.51; Renault RN 0700, RN 0710

LUKOIL LUXE C3 5W-40

Prod. No.: 568110



- Low-ash, synthetic, fuel-efficient Engine Oil for modern petrol and diesel engines with particulate filter
- The new mid-SAPS technology is easy on the environment and diesel particulate filters (DPF)
- Very good ageing resistance thanks to high operating reliability
- Maximum engine cleanliness, reduces the friction of the moving parts and ensures a long engine lifespan

ACEA C3; API CF, SN; **GM** dexos2®; **MB** 226.5, 229.31, 229.51; Renault RN 0700, RN 0710

APPROVALS/SPECIFICATIONS





LUKOIL LUXE A3/B4 10W-40



Prod. No.: 568109 APPROVALS/SPECIFICATIONS

- Partly synthetic, fuel-efficient Engine Oil for petrol and diesel engines without diesel particulate filter
- Compatible with turbochargers and catalytic converters, offers large performance reserves within the permitted oil change intervals
- Specially suitable for older petrol and diesel engines without diesel particulate filter

ACEA A3/B3, A3/B4; API CF, SN; Fiat 9.55535-G2; MB 229.3; Opel GM-LL-B-025; PSA B71 2294, B71 2300; Renault RN 0700, RN 0710; VW 502 00/505 00

LUKOIL LUXE 10W-40



- Prod. No.: 568113 APPROVALS/SPECIFICATIONS
- Semi-synthetic multi-grade Engine Oil for year-round operation of petrol and diesel engines, such as in cars, minibuses or light trucks
- Very good ageing resistance and high operational reliability within the permitted maintenance intervals
- Good viscosity and temperature behaviour, good cold start properties and high wear and corrosion protection

API CF, SL

LUKOIL LUXE 15W-40



- Prod. No.: 568114 APPROVALS/SPECIFICATIONS
- Multi-grade mineral Engine Oil for year-round operation of car engines, produced from high-quality base oils with new additive technology
- Good ageing resistance and high operational reliability within the permitted maintenance intervals
- High wear and corrosion protection, increases the engine lifespan


API CF, SL; AVTOVAZ

LUKOIL LUXE 20W-50



- Prod. No.: 568115 APPROVALS/SPECIFICATIONS
- Multi-grade mineral Engine Oil for year-round operation of car engines, produced from high-quality base oils with a robust additive package
- Recommended for petrol and diesel engines, such as in cars, minibuses or light trucks
- Protects the engine from deposits that result from extremely high temperatures
- Especially suited for older vehicles from before 1990

API CF, SL; AVTOVAZ





Horgos SteerKraft Industries Ltd LUKOIL Lubricants Central Asia LLP



Horgos SteerKraft Industries Ltd is an exclusive authorized partner of LUKOIL Lubricants Central Asia LLP.

All materials, information, images, and logos associated with this partnership are the trademarks and intellectual property of LUKOIL Lubricants Central Asia LLP and LUKOIL Lubricants Europe GmbH.



Contact information:

+86 (155) 2980 8330 (Tel / Wechat / WhatApp)

- +7 (775) 134 5555 (KZ)
- +1 (416) 613 8411 (CA)

General inquiries:

info@lukoil-lubricants.uk

China - Xinjiang inquiries: info-lukoil@sk-industries.uk

Sales inquiries:

sales@sk-industries.uk

https://www.sk-industries.uk https://www.lukoil-lubricants.uk

Headquarter Office:

Shuimogou District Hongguang Mountain Road 888, Building 6, 10th floor, Greentown Plaza, Urumqi, Xinjiang, PRC.

Xi'an Branch Office:

China Resources Center, Room 2012, Xinzhu Street, Baqiao District, Xi'an, Shaanxi, PRC.

Yulin Branch Office:

Central Park, Building A-2401, Yulin, Shaanxi, PRC.

Hong Kong Branch Office:

Unit B, 11/F, 23 Thompson Road, Wan Chai, Hong Kong SAR, China.



